T Number	Hits	Search Text	DB	Time stamp
L Number	2	("5181162").PN.	USPAT;	2004/06/29 11:36
-	-	(5101102 /	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
_	2	(("5181162").PN.) and attribute\$1	USPĀT;	2004/06/29 11:37
	-	(, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	İ
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l –	1	((("5181162").PN.) and attribute\$1) and	USPAT;	2004/06/29 11:37
		class	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/06/20 11.37
-	0	((((("5181162").PN.) and attribute\$1) and	USPAT;	2004/06/29 11:37
		class) and virtual) and real	US-PGPUB;	
		,	EPO; JPO; DERWENT;	
			IBM TDB	
[_ [//// (HE101160H) DN) and attributa61) and	USPAT;	2004/06/29 11:37
-	0		US-PGPUB;	2004/00/25 11.5/
		class) and virtual) and index	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1	(((("5181162").PN.) and attribute\$1) and	USPĀT;	2004/06/29 17:51
_	1	class) and virtual	US-PGPUB;	
		Class, and virtual	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	7492	content with management with system	USPAT;	2004/06/29 17:52
-	7432	Content with management with the	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4093	index with attribute\$1	USPAT;	2004/06/29 17:52
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/06/29 19:07
-	118	(content with management with system) and	USPAT;	2004/06/29 19:07
		(index with attribute\$1)	US-PGPUB; EPO; JPO;	
		· .	DERWENT;	
			IBM TDB	
	2502	extend\$2 with attribute\$1	USPAT;	2004/06/29 17:53
_	2583	excends with attibutes	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
_	27	((content with management with system) and	USPAT;	2004/06/29 17:53
	"	(index with attribute\$1)) and (extend\$2	US-PGPUB;	
		with attribute\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	27	(((content with management with system)	USPAT;	2004/06/29 17:53
		and (index with attribute\$1)) and	US-PGPUB;	
		(extend\$2 with attribute\$1)) and virtual	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/06/20 10:43
-	1	"6430670".PN.	USPAT	2004/06/29 18:43 2004/06/29 18:44
-	1	"6430664".PN.	USPAT	2004/06/29 18:44
-	1	"6418523".PN.	USPAT	2004/00/29 10:48

"9595122" "5121487" "5130958" "515816" "522222" "5263142" "5265213" "5265227" "5263142" "5365213" "5265227" "526526" "5316968" "5311806" "5321806" "5321806" "5321806" "5321806" "5440682" "5446531" "5440682" "5446531" "5440682" "5446531" "5440682" "5446531" "5479627" "5424233" "5542233" "5542233" "5542032" "5544739" "5542233" "5548739" "5553023" "5548739" "551051" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737767" "5737765" "57377765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "5737765" "573777765" "573777765" "57377765" "57377765" "57377765" "5					10001/06/00 10 50
"5155816" "5265227" "5265213" "5265213" "5265227" "526527" "526527" "526527" "5305444" "5313577" "5315696" "53121806" "5321806" "5321806" "5321806" "5321806" "5321806" "5321806" "5321806" "5321806" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "540655" "540655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5406655" "5606283" "5506283" "5506283" "5606161" "5607550" "5737165" "5738197" "5816167" "581507" "5889970" "5892964" "5909559" "580970" "5892964" "5909559" "58771 "581051051", P.N.	-	49	("4016545" "4507730" "4937734"	USPAT	2004/06/29 18:50
### ### ### ### ### ### ### ### ### ##	1		"4969122" "5121487" "5133058"		
### ### ### ### ### ### ### ### ### ##			"5155816" "5222222" "5263142"		
"531896" "5321806" "5321807"			"5265213" "5265227" "5265236"		
### ### ### ### ### ### ### ### ### ##		į	"5305444" "5313577" "5315696"		
### ### ### ### ### ### ### ### ### ##			"5315698" "5321806" "5321807"		
"5440682" "5440684" "5465337" "5479627" "5491806" "550048" "5524233" "5540202" "5546555" "5584233" "55846353" "55846555" "5586283" "5586263" "55862655" "5786253" "5586263" "586161" "5781705" "578197" "5815167" "5845327" "5892964" "5909559" "5911051").PN. - 1 1 "6408373".PN.			"5321836" "5361340" "5392393"		
"5479627" "544066" "5500948" "5524233" "5544014" "5586283" "564161" "567550" "5737765" "5747197" "5815167" "5886387" "5846327" "584014" "5886387" "5846327" "584637" "586193" "5889970" "5892964" "5909559" "5911051"].R" "581637" "81004076.72 18 "5911051"].R" "581637" "8104072" "8104076.72 18 "5911051"].R" USPAT 2004/06/29 18 "6408373".PN USPAT 2004/06/29 18 "6304944".PN USPAT 2004/06/29 18 "6304944".PN USPAT 2004/06/29 18 "6304944".PN USPAT 2004/06/29 18 "6304944".PN USPAT 2004/06/29 18 "6580923".PN USPAT 2004/06/29 19 "6580923".PN 2004/06/29 19 "6580923".PN 2004/0		:	"5396614" "5408605" "5426750"		
"5524233" "554202" "5546555" "5554233" "5554028" "55646555" "55546238" "5564611" "5657500" "5737765" "5778167" "5815167" "5845327" "589970" "5816167" "589970" "589970" "589970" "591051" N. "591051" N. "591051" N. "6408373" P. "6408373" P. "6408373" P. "6304944" P. "6304944" P. "6260131" P. "6260131			"5440682" "5446854" "5465337"		
"5548739" "5554023" "5544014" "55737765" "5761616" "56750" "5737765" "57845327" "5816393" "5889970" "8982964" "5909559" "5911051").PN	1		"5479627" "5491806" "5500948"		
#5562823" "5664161" "5675750" #5737765" "59153776" "59153767" #5915167" "5915167" "5915167" #5915167" "59889370" "59892964" "5909559" #591051"), PN. - 1			"5524233" "5542062" "5546555"		
"5737765" "577197" "5815167" "584537" "5864537" "5864537" "586937" "5869970" "5892964" "5909559" "591051" "5892964" "5909559" "591051" "6408373".PN.			"5548739" "5553023" "5584014"		
"5945327" "5954637" "5961993" "59899970" "59899264" "5909559" "591051") PN. "6408373".PN. "6408373".PN. "1 "6408373".PN. "1 "6304944".PN. "6304944".PN. "6260131".PN. "6260131".PN. "1 "6260131".PN. "1 "6260131".PN. "1 "6260131".PN. "1 "6260131".PN. "2 "1 "5628023".PN. "3 "1 "5628023".PN. "4 ((content with management with system) and (index with attribute\$1)) and (folder with index) - 3572 handl\$3 with attribute\$1) and (document with management) - 200 (handl\$3 with attribute\$1) and (document with management) - 30 ((handl\$3 with attribute\$1) and (document with management) and (index with attribute\$1) - 31 ((handl\$3 with attribute\$1) and (document with index with attribute\$1) - 32 ((handl\$3 with attribute\$1) and (document with index with attribute\$1) - 33 ((handl\$3 with attribute\$1) and (document with index with attribute\$1) - 34 ((handl\$3 with attribute\$1) and (document with management) and (document with index with attribute\$1) - 35 ((handl\$3 with attribute\$1) and (document with index with attribute\$1) - 36 ((handl\$3 with attribute\$1) and (document with management) and (document with index with attribute\$1)			"5586283" "5664161" "5675750"		
"5889970" ["5892964" ["5909559"] "5911051").PN. "612043".PN. "6408373".PN. "6408373".PN. "6408373".PN. "1 "63364944".PN. "1 "63364944".PN. "1 "6304944".PN. "1 "6280131".PN. "2 104/06/29 18 USPAT 2004/06/29 19 USPAT 2004/06			"5737765" "5778197" "5815167"		
"5911051").PN. USPAT 2004/06/29 18 2004/06/29 19 200			"5845327" "5854637" "5861893"		
- 1 "6412043".PN. USPAT 2004/06/29 18 2004/06/29 19 2004/0			"5889970" "5892964" "5909559"		
1			"5911051").PN.		
- 1 "6408373".PN. USPAT 2004/06/29 18 2004/06/29 19 2004/0	_ {	1	"6412043".PN.	USPAT	2004/06/29 18:50
- 1 "6408373".PN. USPAT 2004/06/29 18 2004/06/29 18 1 "635179".PN. USPAT 2004/06/29 18 2004/06/29 18 1 "6304944".PN. USPAT 2004/06/29 18 2004/06/29 18 1 "6260131".PN. USPAT 2004/06/29 18 2004/06/29 18 1 "6260131".PN. USPAT 2004/06/29 18 2004/06/29 18 1 "528023".PN. USPAT 2004/06/29 18 2004/06/29 19 2004/06/29	_		"6408373".PN.	USPAT	2004/06/29 18:51
1	1_			USPAT	2004/06/29 18:51
"6304944".PN.	_			USPAT	2004/06/29 18:51
"6360494".PN. USPAT 2004/06/29 18 "6260131".PN. USPAT USPAT 2004/06/29 18 USPAT 2004/06/29 18 USPAT USPAT 2004/06/29 18 USPAT USPAT 2004/06/29 18 USPAT USPAT 2004/06/29 18 USPAT USPAT 2004/06/29 19 USPAT USPAT 2004/06/29 19 USPAT USPAT 2004/06/29 19 USPAT USPA	_			USPAT	2004/06/29 18:52
"528023".PN. "528023".PN. ((content with management with system) and (index with attribute\$1) and (folder with index) USPAT (USPAFUB) 2004/06/29 18 2004/06/29 19 20	_			USPAT	2004/06/29 18:58
"5628023".PN. ((content with management with system) and (index with attribute\$1)) and (folder with index) - 3572 handl\$3 with attribute\$1 - 200 (handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1) and (document with management)) and (index with index with attribute\$1) and (document with management)) and (document with management)) and (document with management)) and (document with index with attribute\$1) and (document with management)) and (document with management)) and (document with index with attribute\$1) and (document with management)) and (document with index with attribute\$1) and (document with management)) and (document with index with attribute\$1) and (document with index with index with attribute\$1) and (document with index with attribute\$1)	_				2004/06/29 18:58
((content with management with system) and (index with attribute\$1) and (folder with index) 105-PGFUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGFUB; EPO; JPO; DERWENT; US-PGFUB; EPO; JPO; DERWE	_	l			2004/06/29 18:59
(index with attribute\$1) and (folder with index with attribute\$1) and (folder with EPO, JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM TD		l	((content with management with system) and		2004/06/29 19:10
index) Index	·-	"	(index with attribute\$1)) and (folder with		
DERWENT; IBM TDB USPAT; US-PGFUB; EPO; JPO; DERWENT; US-PGFUB; EPO; JPO;					
handl\$3 with attribute\$1 200 (handl\$3 with attribute\$1) and (document with management) and (index with index with attribute\$1) and (document with management)) and (document with index with attribute\$1) and (document with index with attribu			index)		
- 3572 handl\$3 with attribute\$1 - 200 (handl\$3 with attribute\$1) and (document with management) with management) and (index with index with management)) and (document with management)) and (document with management)) and (document with index with attribute\$1) and (document with index with attribute\$1)) and (document with index with attribute\$1) and (document with index with attribute\$1)) and (document with index with attribute\$1) and (document with index with attribu					
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;		2572	handler with attributoel	· —	2004/06/29 19:10
Comparison of the comparison	-	3572	nandişə with attributeşi	1	2001,00,23 13110
Comparison of the comparison					
Comparison of the comparison					
200 (handl\$3 with attribute\$1) and (document with management) USPĀT; US-FGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-FGPUB; EPO; JPO; DERWENT; US-FGPUB; EPO; JPO;				1	
with management) with management) ((handl\$3 with attribute\$1) and (document with management)) and (index with use pro; JPO; DERWENT; IBM TDB use pro; JPO; DERWENT; JP		000	(handles with attainment	_	2004/06/29 19:11
- 90 ((handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1) - 39 ((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1) - 33 (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1) and (document with index with attribute\$1)) and folder - 4 (((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and folder - 5 (((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and (document with index with attribute\$1) and (- .	200		1 .	2004/00/23 13:11
O			with management)	1	
- 90 ((handl\$3 with attribute\$1) and (document with management)) and (index with index with attribute\$1) - 39 ((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1) - 33 (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1) and (document with index with attribute\$1)) and folder - 6 (((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and (document with index with attribute\$1) and (document with index with attribute\$1					
- 90 ((handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1) - 39 ((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1) - 33 (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and folder - 6 (((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and (index with attribute\$1) and (index with attribute\$1)) and (index with attribute\$1)) and (index with attribute\$1) and (index with attribute\$1)			· ·		
with management)) and (index with attribute\$1) ((handl\$3 with attribute\$1) and (document with management)) and (document with management)) and (document with index with attribute\$1) (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with attribute\$1)) and folder (((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and (document with index with attribute\$1) and (index with attribute\$1) and (document with index with attribute\$1) and (index with attribute\$1) and (document with index with attribute\$1) and (index with attribute\$1)			(document	_	2004/06/29 19:11
attribute\$1) attribute\$1) ((handl\$3 with attribute\$1) and (document with index with attribute\$1) and folder (((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and (document with index with attribute\$1) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and (document with index with attribute\$1) and (document with index with attribute\$1)) and folder) ((((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and folder) ((((handl\$3 with attribute\$1)) and (index with attribute\$1)) and (index with attribute\$1)) and (index with attribute\$1)) and (index with attribute\$1)) and (document with index with attribute\$1) and (document with index with attribute\$1) and (index with attribute\$1)) and (index with attribute\$1) and (index with attribute\$1)) and (index with attribute\$1)) and (index with attribute\$1) and (document with index with attribute\$1) and (index with attribute\$1)) and (index with attribute\$1) and (index with attribute\$1) and (index with attribute\$1)) and (index with attribute\$1)	-	90	((hand1\$3 with attribute\$1) and (document		2004/00/25 15:11
- 39 ((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with management)) and (document with index with attribute\$1) and (document with index with attribute\$1) and (document with index with management)) and folder - 6 (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with attribute\$1) not (((handl\$3 with attribute\$1) and (document with index with index with index with attribute\$1) and (document with index with					
- 39 ((handl\$3 with attribute\$1) and (document with index with attribute\$1) - 33 (((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and folder - 6 (((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and (document with index with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (document with index with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (document with index with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (index with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (index with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (index with attribute\$1)) not ((((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with att			attribute\$1)		
- 39 ((handl\$3 with attribute\$1) and (document with index with attribute\$1) - 33 (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with attribute\$1) and (document with index with management)) and (document with index with attribute\$1) and (document with index with attribute\$1) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and folder) - 0 (((handl\$3 with attribute\$1)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and (index with attribute\$1)				1	
with management)) and (document with index with attribute\$1) 33 (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with attribute\$1)) and folder 6 (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with management)) and (document with index with attribute\$1) not ((((handl\$3 with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (document with management)) and (document with management)) and (document with index with attribute\$1)) and folder) 0 ((((handl\$3 with attribute\$1) and (document with index with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) not ((handl\$3 with attribute\$1)) not ((han				· —	2004/06/20 10-13
with attribute\$1) (((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and folder (((handl\$3 with attribute\$1)) and (document with index with management)) and (document with index with attribute\$1)) not ((((handl\$3 with attribute\$1))) not (((handl\$3 with attribute\$1))) not (((handl\$3 with attribute\$1))) not ((handl\$3 with attribute\$1)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1))) not ((handl\$3 with attribute\$1)) not (handl\$3 with attribute\$1)) not (handl	-	39	((hand1\$3 with attribute\$1) and (document		2004/00/29 19.13
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT					
- 33 (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with attribute\$1)) and folder 6 (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) and (document with index with management)) and (document with index with attribute\$1)) and folder) 1 ((((handl\$3 with attribute\$1)) and (index (document with management))) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) not ((handl\$3 with attribute\$1)) not (handl\$3 with attribute\$1) not (handl\$3 with attribute\$1) not (handl\$3 with attribute\$1)) not (handl\$3 with attribute\$1) not			with attribute\$1)		
- 33 (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with attribute\$1)) and folder 6 (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (document with management)) and (document with index with attribute\$1)) and folder) 1 ((((handl\$3 with attribute\$1)) and (index with attribute\$1)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (index with attribute\$1)) and (index with attribute\$1)) and (document with index with attribute\$1)) and (index with attribute\$1) and (index with attribute\$1)) and (index with attribute\$1)					
with management)) and (document with index with attribute\$1)) and folder 6 (((handl\$3 with attribute\$1) and (document with index with management)) and (document with index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (document with index with management)) and (document with index with attribute\$1)) and folder) 1 ((((handl\$3 with attribute\$1)) and (index with attribute\$1)) and (in					2004/06/20 10:15
with attribute\$1)) and folder (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (document with management)) and (document with management)) and (document with index with attribute\$1)) and folder) ((((handl\$3 with attribute\$1)) and (index (document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) not ((handl\$3 with attribute\$1)) not (handl\$3 with attribute\$1)) not (handl\$3 with attribute\$1)	-	33	(((hand1\$3 with attribute\$1) and (document		2004/06/29 19:15
Coordinates and content with management)) and (document with index with attribute\$1) and (document with index with attribute\$1) and (document with management)) and (document with management)) and (document with index with attribute\$1) and folder) O((((handl\$3 with attribute\$1) and (document with index with attribute\$1)) and folder) ((((handl\$3 with attribute\$1) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (index with attribute\$1)) and (index with attribute\$1)) and (document with index with attribute\$1) and (index with attribute\$1)) and (index with attribute\$1) and (document with index with index with attribute\$1) and (index with attribute\$1)) and (index with attribute\$1)) and (index with index with inde		1	with management)) and (document with index	1	
[Colored to the color of the c			with attribute\$1)) and folder		
- ((((handl\$3 with attribute\$1) and (document with index with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and (document with index with attribute\$1)) and folder) - ((((handl\$3 with attribute\$1)) and (index (document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) not ((handl\$3 with attribute\$1)) not (handl\$3 with					
with management)) and (document with index with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (document with index with management)) and (document with index with attribute\$1)) and folder) - 0 ((((handl\$3 with attribute\$1)) and (index (document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) not ((handl\$3 with attribute\$1)) not (handl\$3 with attribute\$1)) not (han					0004/05/05 55 55
with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (document with management)) and (document with index with attribute\$1)) and folder) ((((handl\$3 with attribute\$1)) and (index (document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) not ((mandl\$3 with	_	6	(((handl\$3 with attribute\$1) and (document		2004/06/29 19:22
with attribute\$1)) not ((((handl\$3 with attribute\$1)) and (document with management)) and (document with index with attribute\$1)) and folder) ((((handl\$3 with attribute\$1)) and (index (document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) not (((handl\$3 with attribute\$1)) not ((mandl\$3 with			with management)) and (document with index		
attribute\$1) and (document with management)) and (document with index with attribute\$1)) and folder) ((((handl\$3 with attribute\$1)) and (index (document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1)) not ((handl\$3 with attribute\$1)) not ((bandl\$3 with attribute\$1)) not ((handl\$3 with attribute\$1)) not ((handl\$3 with attribute\$1)) not (document with berwent;	1		with attribute\$1)) not (((handl\$3 with		
attribute\$1)) and folder) ((((handl\$3 with attribute\$1)) and (index (document with management)) and (index with attribute\$1)) not (((handl\$3 with EPO; JPO; attribute\$1)) and (document with DERWENT;			attribute\$1) and (document with		
attribute\$1)) and folder) ((((handl\$3 with attribute\$1)) and (index (document with management)) and (index with attribute\$1)) not (((handl\$3 with EPO; JPO; attribute\$1)) and (document with DERWENT;		1	management)) and (document with index with	IBM_TDB	
- 0 ((((hand1\$3 with attribute\$1) and (document with management)) and (index with attribute\$1)) not (((hand1\$3 with attribute\$1)) and (document with DERWENT;		1	attribute\$1)) and folder)		
<pre>(document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1) and (document with DERWENT;</pre>	-	0	((((handl\$3 with attribute\$1) and	t e	2004/06/29 19:23
<pre>with attribute\$1)) not (((handl\$3 with</pre>			(document with management)) and (index		
attribute\$1) and (document with DERWENT;			with attribute\$1)) not (((handl\$3 with		
TRM TDR			attribute\$1) and (document with		
management)) and (document with index with index with index)	1		management)) and (document with index with	IBM_TDB	
attribute\$1))) and ("virtual attribute"	1		attribute\$1))) and ("virtual attribute"		
and "extended attribute")			and "extended attribute")		

					2004/06/29 19:23
-		2	"virtual attribute" and "extended	USPAT; US-PGPUB;	2004/06/29 19:23
			attribute"	EPO; JPO;	
				DERWENT;	
				IBM_TDB	
_		45	((((handl\$3 with attribute\$1) and	USPAT;	2004/06/29 19:26
			(document with management)) and (index	US-PGPUB;	
			with attribute\$1)) not (((handl\$3 with	EPO; JPO; DERWENT;	
			attribute\$1) and (document with management)) and (document with index with	IBM TDB	
			attribute\$1))) and parent and child		
_		45	(((((handl\$3 with attribute\$1) and	USPAT;	2004/06/29 19:26
			(document with management)) and (index	US-PGPUB;	
			with attribute\$1)) not (((handl\$3 with	EPO; JPO;	
	Ì		<pre>attribute\$1) and (document with management)) and (document with index with</pre>	DERWENT; IBM TDB	
			attribute\$1))) and parent and child) and	15155	
			index	×	
_		41	(((((handl\$3 with attribute\$1) and	USPAT;	2004/06/29 19:27
İ			(document with management)) and (index	US-PGPUB;	
	ļ		with attribute\$1)) not (((handl\$3 with	EPO; JPO; DERWENT;	
	İ		attribute\$1) and (document with management)) and (document with index with	IBM TDB	
			attribute\$1))) and parent and child) and		
	-		index) and (virtual with attribute\$1)		
_		51	(((handl\$3 with attribute\$1) and (document	USPAT;	2004/06/29 19:37
			with management)) and (index with	US-PGPUB; EPO; JPO;	
			attribute\$1)) not (((handl\$3 with attribute\$1) and (document with	DERWENT;	
			management)) and (document with index with	IBM TDB	
			attribute\$1))	_	
-		5750	search\$3 with attribute\$1	USPAT;	2004/06/29 19:37
			*	US-PGPUB;	
1	ĺ			EPO; JPO; DERWENT;	,
				IBM TDB	
_		13	(search\$3 with attribute\$1) and "virtual	USPAT;	2004/06/29 19:38
			attribute"	US-PGPUB;	
				EPO; JPO;	
			·	DERWENT; IBM TDB	
l_		219	(search\$3 with attribute\$1) and (virtual	USPAT;	2004/06/29 19:38
		217	with attribute\$1)	US-PGPUB;	,
				EPO; JPO;	
			·	DERWENT;	
		010	//be2 with attribute(1) and "wirtual	IBM_TDB USPAT;	2004/06/29 19:3
-		219	((search\$3 with attribute\$1) and "virtual attribute") or ((search\$3 with	US-PGPUB;	
			attribute\$1) and (virtual with	EPO; JPO;	
			attribute\$1))	DERWENT;	
				IBM_TDB	2004/06/20 10 2
-	.	3	((((search\$3 with attribute\$1) and	USPAT; US-PGPUB;	2004/06/29 19:3
			"virtual attribute") or ((search\$3 with attribute\$1) and (virtual with	EPO; JPO;	
			attribute(1))) and (map(4 with attribute(1))	DERWENT;	
			with class)) and index	IBM_TDB	
-	l	5	(((search\$3 with attribute\$1) and "virtual	USPAT;	2004/06/30 10:2
			attribute") or ((search\$3 with	US-PGPUB; EPO; JPO;	
			attribute\$1) and (virtual with attribute\$1))) and (map\$4 with attribute\$1	DERWENT;	
			with class)	IBM TDB	
_		249		USPAT;	2004/06/30 13:3
				US-PGPUB;	
				EPO; JPO;	
				DERWENT; IBM TDB	
1_		91	"index class" and virtual	USPAT;	2004/06/30 10:2
		31	Third of the case	US-PGPUB;	
				EPO; JPO;	
				DERWENT; IBM TDB	
1				TDM IND	L

			,	
-	62	("index class" and virtual) and @ad<20010322	USPAT; US-PGPUB;	2004/06/30 10:24
		ead<20010322	EPO; JPO;	
			DERWENT; IBM TDB	
	20	(("index class" and virtual) and	USPAT;	2004/06/30 10:25
_	20	@ad<20010322) and parent and child	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	5	((("index class" and virtual) and	USPAT;	2004/06/30 10:25
_	J	@ad<20010322) and parent and child) and	US-PGPUB;	
		folder	EPO; JPO;	
		•	DERWENT; IBM TDB	
_	16	(("index class" and virtual) and	USPAT;	2004/06/30 10:25
		@ad<20010322) and folder	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	0	(((("index class" and virtual) and	USPAT;	2004/06/30 10:27
		@ad<20010322) and parent and child) and	US-PGPUB;	
		(real with attribute) and (virtual with attribute)) and ("real attribute" and	EPO; JPO; DERWENT;	
		"virtual attribute")	IBM TDB	
_	0	(("index class" and virtual) and	USPAT;	2004/06/30 10:27
		@ad<20010322) and ("real attribute" and	US-PGPUB; EPO; JPO;	
		"virtual attribute")	DERWENT;	
			IBM TDB	
_	2		USPAT;	2004/06/30 10:27
		"virtual attribute")	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	087020.apn.	USPAT;	2004/06/30 10:28
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	,		IBM_TDB	0004/06/20 12:15
-	1		USPAT; US-PGPUB;	2004/06/30 13:15
		"virtual attribute")	EPO; JPO;	
			DERWENT;	
			IBM TDB	2004/06/30 13:18
-	1	((("index class" and virtual) and @ad<20010322) and parent and child) and	USPAT; US-PGPUB;	2004/00/30 13:18
		(real with attribute) and (virtual with	EPO; JPO;	
		attribute)	DERWENT;	
	0.000	hierarch\$4 with attributes	IBM_TDB USPAT;	2004/06/30 13:18
-	2689	HIGHTOHAA MICH ACCLIDATES	US-PGPUB;	33,33,33
			EPO; JPO;	
			DERWENT; IBM TDB	
_	6	(hierarch\$4 with attributes) and "index	USPAT;	2004/06/30 13:33
_		class"	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	114	"index class" and attribute\$1	USPAT;	2004/06/30 13:38
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	4		USPAT;	2004/06/30 13:42
		(folder with index with class)	US-PGPUB; EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	

-	13	("index class" and attribute\$1) and (folder with class)	USPAT; US-PGPUB; EPO; JPO;	2004/06/30 13:42
-	9	(("index class" and attribute\$1) and (folder with class)) not (("index class" and attribute\$1) and (folder with index	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/30 13:42
-	21	<pre>with class)) "real attribute" and "virtual attribute"</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/07/02 16:01
			EPO; JPO; DERWENT; IBM TDB	